

L Number	Hits	Search Text	DB	Time stamp
-	695119	data with process\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:23
-	696806	data with process\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:25
-	1	4958377.pn. and (data with process\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:24
-	0	4958377.pn. and (data with process\$4) and correlat\$4 with matrix	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:24
-	3240	data with process\$4 and correlat\$4 with matri\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:25
-	2375	data with process\$4 and correlat\$4 with matri\$4 and stor\$4 and input\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:25
-	1602	data with process\$4 and correlat\$4 with matri\$4 and stor\$4 and input\$4 and deriv\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:26
-	2	data with process\$4 and correlat\$4 with matri\$4 and stor\$4 and input\$4 and deriv\$4 with tuple	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:26
-	75	data with process\$4 and correlat\$4 with matri\$4 and stor\$4 and input\$4 and deriv\$4 and tuple	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:27
-	71	data with process\$4 and correlat\$4 with matri\$4 and stor\$4 and input\$4 and deriv\$4 and tuple and (combin\$4 join\$4) and separat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:27
-	57	data with process\$4 and correlat\$4 with matri\$4 and stor\$4 and input\$4 and deriv\$4 and tuple and (combin\$4 join\$4) and separat\$4 and address\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:28
-	24	data with process\$4 and correlat\$4 with matri\$4 and stor\$4 and input\$4 and deriv\$4 and tuple and (combin\$4 join\$4) and separat\$4 and address\$4 and binary with cod\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 13:15
-	0	data with process\$4 and correlat\$4 with matri\$4 and stor\$4 and input\$4 and deriv\$4 and tuple and (combin\$4 join\$4) and separat\$4 and address\$4 and binary with cod\$4 and translat\$4 with index\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:29
-	15	data with process\$4 and correlat\$4 with matri\$4 and stor\$4 and input\$4 and deriv\$4 and tuple and (combin\$4 join\$4) and separat\$4 and address\$4 and binary with cod\$4 and translat\$4 and index\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:30
-	21	data with process\$4 and correlat\$4 with matri\$4 and stor\$4 and input\$4 and deriv\$4 and tuple and (combin\$4 join\$4) and separat\$4 and address\$4 and binary with cod\$4 and translat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:34
-	330	correlat\$4 with matrix with memory	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:34

-	306	correlat\$4 with matrix with memory and stor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:35
-	237	correlat\$4 with matrix with memory and stor\$4 and (input\$4 receiv\$4) with (data information)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:35
-	122	correlat\$4 with matrix with memory and stor\$4 and (input\$4 receiv\$4) with (data information) and deriv\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:36
-	0	correlat\$4 with matrix with memory and stor\$4 and (input\$4 receiv\$4) with (data information) and deriv\$4 with tuple	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:36
-	78	correlat\$4 with matrix with memory and stor\$4 and (input\$4 receiv\$4) with (data information) and deriv\$4 and cod\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:36
-	63	correlat\$4 with matrix with memory and stor\$4 and (input\$4 receiv\$4) with (data information) and deriv\$4 and cod\$4 and (join\$4 combin\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:37
-	60	correlat\$4 with matrix with memory and stor\$4 and (input\$4 receiv\$4) with (data information) and deriv\$4 and cod\$4 and (join\$4 combin\$4) and separat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 13:14
-	2	correlat\$4 with matrix with memory and stor\$4 and (input\$4 receiv\$4) with (data information) and deriv\$4 and cod\$4 and (join\$4 combin\$4) and separat\$4 and address\$4 and tuple	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:38
-	2	correlat\$4 with matrix with memory and stor\$4 and (input\$4 receiv\$4) with (data information) and deriv\$4 and cod\$4 and (join\$4 combin\$4) and separat\$4 and address\$4 and tuple and translat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:38
-	2	correlat\$4 with matrix with memory and stor\$4 and (input\$4 receiv\$4) with (data information) and deriv\$4 and cod\$4 and (join\$4 combin\$4) and separat\$4 and address\$4 and tuple and (cover\$4 translat\$4) and index\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:39
-	2	correlat\$4 with matrix with memory and stor\$4 and (input\$4 receiv\$4) with (data information) and deriv\$4 and cod\$4 and (join\$4 combin\$4) and separat\$4 and address\$4 and tuple and (conver\$4 translat\$4) and index\$4 and binary	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 10:01
-	0	correlat\$4 with matrix with memory and stor\$4 and (input\$4 receiv\$4) with (data information) and deriv\$4 and cod\$4 and (join\$4 combin\$4) and separat\$4 and address\$4 and tuple and (conver\$4 translat\$4) and index\$4 and binary with cod\$4 with word	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:40
-	2	correlat\$4 with matrix with memory and stor\$4 and (input\$4 receiv\$4) with (data information) and deriv\$4 and cod\$4 and (join\$4 combin\$4) and separat\$4 and address\$4 and tuple and (conver\$4 translat\$4) and index\$4 and binary with cod\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 12:58
-	139605	super\$imposed	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:47

-	591	super\$imposed with separator	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:47
-	203	super\$imposed with separator and extract\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:47
-	100	super\$imposed with separator and extract\$4 with separator	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:48
-	0	binary with super\$imposed with separator and extract\$4 with separator	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:48
-	26	super\$imposed with separator and extract\$4 with separator and binary	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:49
-	0	super\$imposed with separator and extract\$4 with separator and binary with coded	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:48
-	0	super\$imposed with separator and extract\$4 with separator and binary with word	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:48
-	1	super\$imposed with separator and extract\$4 with separator and binary with value	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:48
-	24	super\$imposed with separator and extract\$4 with separator and binary and raw	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:13
-	0	super\$imposed with separator and extract\$4 with separator and binary and raw with separator	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:49
-	0	super\$imposed with separator and extract\$4 with separator and binary and raw with super\$imposed	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 09:49
-	2	correlat\$4 with matrix with memory and stor\$4 and (input\$4 receiv\$4) with (data information) and deriv\$4 and cod\$4 and (join\$4 combin\$4) and separat\$4 and address\$4 and tuple and (conver\$4 translat\$4) and index\$4 and binary and process\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 10:02
-	2	correlat\$4 with matrix with memory and stor\$4 and (input\$4 receiv\$4) with (data information) and deriv\$4 and cod\$4 and (join\$4 combin\$4) and separat\$4 and address\$4 and tuple and (conver\$4 translat\$4) and index\$4 and binary and process\$4 with data	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 10:05
-	2	correlat\$4 with matrix with memory and stor\$4 and (input\$4 receiv\$4) with (data information) and deriv\$4 and cod\$4 and (join\$4 combin\$4) and separat\$4 and address\$4 and tuple and (conver\$4 translat\$4) and index\$4 and binary and process\$4 and process\$4 with data	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 10:05
-	0	super\$imposed with separator and extract\$4 with separator and binary and raw and tensor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:12

-	3635	tensor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:12
-	2	tensoring	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:12
-	26	super\$imposed with separator and extract\$4 with separator and binary	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:15
-	0	super\$imposed with separator and extract\$4 with separator and binary and tensor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:14
-	0	super\$imposed with separator and extract\$4 with separator and tensor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:14
-	0	super\$imposed with separator and extract\$4 and tensor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:14
-	0	super\$imposed with separator and tensor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:14
-	363	super\$imposed and tensor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:14
-	0	super\$imposed and tensoring	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:14
-	0	super\$impos\$4 with separator and extract\$4 with separator and binary with (conver\$4 translat\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:16
-	4	raw with super\$impos\$4 with separat\$4 and (row column)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:16
-	0	raw with super\$impos\$4 with separat\$4 and (row column) and tuple	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:17
-	0	raw with super\$impos\$4 with separat\$4 and (row column) and (conver\$4 translat\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:18
-	0	raw with super\$impos\$4 with separat\$4 with output\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:18
-	752	super\$impos\$4 with separat\$4 with output\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:18
-	0	super\$impos\$4 with separat\$4 with output\$4 and raw with separat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:18
-	128	super\$impos\$4 with separat\$4 with output\$4 and raw	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:19

-	0	super\$impos\$4 with separat\$4 with output\$4 and raw and (conver\$4 translat\$4) with raw with binary	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:19
-	0	super\$impos\$4 with separat\$4 with output\$4 and raw and (conver\$4 translat\$4) with raw	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:19
-	14	super\$impos\$4 with separat\$4 with output\$4 and raw and (conver\$4 translat\$4) with binary	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:20
-	0	super\$impos\$4 with separat\$4 with output\$4 and raw and (conver\$4 translat\$4) with binary with super\$impos\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:20
-	0	super\$impos\$4 with separat\$4 with output\$4 and raw and (conver\$4 translat\$4) with binary with separat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:20
-	0	super\$impos\$4 with separat\$4 with output\$4 and raw and (conver\$4 translat\$4) with binary and extract\$4 with separat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:21
-	0	super\$impos\$4 with separat\$4 with output\$4 and raw and (conver\$4 translat\$4) with binary and extract\$4 with binary	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:21
-	0	super\$impos\$4 with separat\$4 with output\$4 and raw and (conver\$4 translat\$4) with binary and extract\$4 with raw	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:21
-	0	super\$impos\$4 with separat\$4 with output\$4 and raw and (conver\$4 translat\$4) with binary and extract\$4 with associat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:22
-	0	super\$impos\$4 with separat\$4 with output\$4 and raw and (conver\$4 translat\$4) with binary and extract\$4 with relat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:22
-	14	super\$impos\$4 with separat\$4 with output\$4 and raw and (conver\$4 translat\$4) with binary and extract\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:27
-	17	raw with super\$impos\$4 with separat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:27
-	26	super\$impos\$4 with separator and extract\$4 with separator and binary	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:27
-	0	super\$impos\$4 with separat\$4 with output\$4 and raw and (conver\$4 translat\$4) with binary and extract\$4 and tensor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:27
-	0	raw with super\$impos\$4 with separat\$4 and tensor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:27
-	0	super\$impos\$4 with separator and extract\$4 with separator and binary and tensor\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 11:27
-	0	data with process\$4 and correlat\$4 with matri\$4 and stor\$4 and input\$4 and deriv\$4 and tuple and (combin\$4 join\$4) and separat\$4 and address\$4 and binary with cod\$4 and postal with address\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 12:28

-	2	correlat\$4 with matrix with memory and stor\$4 and (input\$4 receiv\$4) with (data information) and deriv\$4 and cod\$4 and (join\$4 combin\$4) and separat\$4 and address\$4 and tuple and (conver\$4 translat\$4) and index\$4 and binary with cod\$4 and tuple with (combin\$4 join\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 12:58
-	2	correlat\$4 with matrix with memory and stor\$4 and (input\$4 receiv\$4) with (data information) and deriv\$4 and cod\$4 and tuple	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 13:11
-	45	correlat\$4 with matrix with memory and stor\$4 and (input\$4 receiv\$4) with (data information) and deriv\$4 and cod\$4 and (join\$4 combin\$4) and separat\$4 and address\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 13:24
-	24	data with process\$4 and correlat\$4 with matri\$4 and stor\$4 and input\$4 and deriv\$4 and tuple and (combin\$4 join\$4) and separat\$4 and address\$4 and binary with cod\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 13:15
-	60	correlat\$4 with matrix with memory and stor\$4 and (input\$4 receiv\$4) with (data information) and deriv\$4 and cod\$4 and (join\$4 combin\$4) and separat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 13:23
-	1	correlat\$4 with matrix with memory and stor\$4 and (input\$4 receiv\$4) with (data information) and deriv\$4 and cod\$4 and (join\$4 combin\$4) and separat\$4 and 711/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 13:17
-	1	4958377.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 13:21
-	2	correlat\$4 with matrix with memory and stor\$4 and (input\$4 receiv\$4) with (data information) and deriv\$4 and cod\$4 and (join\$4 combin\$4) and separat\$4 and character with recog\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 13:23
-	7	correlat\$4 with matrix with memory and stor\$4 and (input\$4 receiv\$4) with (data information) and deriv\$4 and cod\$4 and (join\$4 combin\$4) and separat\$4 and address\$4 and character with recogn\$6	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/21 13:24